

Journey

**DONT's** 









If you are taking broad beta-blockers, please contact your surgeon before your surgery.









Timetable



- - could start messaging your transplanted area to remove the scabs. hock loss period may start and the scabs may significantly decrease ay start sleeping on your sides. ay start sleeping on your sides. In start wearing lose caps and scarves. In start wearing lose caps and scarves. In start wearing lose wigs when you complete your 2nd week. and start wearing lose wigs when you complete your 2nd week.

- 5-16 Horists
  swill start growing,
  bumps and ingrown hairs on your transplanted area,
  to reduce now, but you will have numbness for a while,
  ur scalp to stimulate hair growth,
  sity each month, and you will see the final results within 12-15

- est time and money, road. Please follow these instructions carefully, road. Please follow these instructions carefully, es, please do not hesitate to contact your Travel Coordinator or email to

# onzevil

# Expected Discomfort

### B

### Swelling Itching It may occur for first 7 days, usually in the forehead. To help decrease the swelling, sleep in an elevated position, 45 degree angle for 1-3 nights after the surgery.

Bleeding Vumbness

Pair

It is normal to have numbness in the first 3-4 days. You may apply massage to reduce it.

invest time and money It abroad. Please follow these instructions carefully. Jueries, please do not hesitate to contact your Travel Coordi

**2EV1** 

Expected Discomfor



Folliculitis

& pimples

After the operation they may occur on you 2nd or 3rd weeks or even after until you complete your early recovery period.

Infection You can easily prevent the infect to follow the washing instruction pay attention to your personal by

It also happens due to the new growth under the scalp, try to avoid scratching.

Pain After the surgery you might experience pain, you will be given painkillers.

Depending on your pain thresho diminish after 3-4 days

Washing Instructions

lake

You will use both lotion (foam) and shampoo which will be given to you at the hospital.

Use the lotion during the first 14 days and the shampoo until it finishes.

1. APPLY LOTION! After you apply the lotion, please wait 30-45 minutes for your scalp skin to get softer and scabs to be removable with washing.

You may use a cup to rinse the lotion with water. You are allowed to wash your body right after the operation.

You will be explained when and how to wash your hair during your check-up appointment:

2. APPLY SHAMPOO

3. MASSAGE

Avoid catching the grafts with your fingernails. You should be careful for two v touching the grafts.

The crusts usually begin to separate from skin after 7 days, fall off after 15 days after the treatment You may apply very gentle massage on the 7th wash to make sure the crusts are falling

 Do not go under the pressurized shower in the first 15 days. On the third week you may return to your regular shampoo and frequency of washing.

d money e follow these instructions carefully. do not hesitate to contact your Travel Coordin

Be Patient for the Great Result!

When Can I Get Back to Work? Most people return to work right after the procedure.

Return to work varies with your type of work, your overall health and personal preferences. Discuss returning to work with your patient relations specialist.

You should expect to play a large role in your recovery.

Be Patient!

atients start seeing the results en 6-9 months after surgery but the sult will be seen once you have eted your first year.

It's a slow process, so focus on getting better each day as you move toward your intended goal of full recovery.

Please do not ever hesitate to contact you dedicated patient relations specialist.

When applying the shampoo, make sure the water is warm, avoid cold or hot water. While washing, you may touch the grafts gently by only using your fingertips.

mportant to know that between 2 and 8 eks after the surgery, the transplanted will fall out. This is normal. By the 3rd month, the hair may look thinner than before you had the transplant. Again, this is normal.

Be patient and don't worry, this is all part of the recovery process.